

RBM Standard Fabric & Colour Collection

10 year guarantee as standard or 5 year guarantee on 24/7 use.

This is the RBM standard selection of textiles and colours for our chairs. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with. Normal delivery time for RBM's Standard fabric collection is 10-15 days from factory. The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance: Please vacuum with a furniture brush or use a clean, white cloth or sponge slightly dampened with clean, lukewarm water.

Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local RBM supplier to view a sample.

Oxford (Kendal) - PG 0

Oxford is a plain weave textile in polypropylene. It has a traditional colour range in mélange and uni colours.

Composition:	100% polyolefin
Abrasion resistance:	40 000 Martindale
Flammability:	BS EN 1021-13994, ISO 8191 (Cigarette)
Light fastness:	6
Environmental facts:	ISO 14001 certified



Xtreme (Camira Fabrics) - PG 1

Xtreme is an FR crepe fabric made from 100% recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition:	100% recycled polyester FR
Abrasion resistance:	100 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match), BS 7176 Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9176 Class 1
Light fastness:	6 (ISO 105 - B04:2013)
Environmental facts:	EU Ecolabel, 100% free of heavy metals



Fame (Gabriel) - PG 2

Fame is a tightly woven fabric of worsted wool and polyamide, combining excellent durability and softness.

Composition:	95% wool, 5% polyamide
Abrasion resistance:	200 000 Martindale
Flammability:	BS S EN 1021: 1-2, BS 5852, Crib 5, Calif. Bull. 117-2013, IMO A.652 (16) NFP 92-503:M2 (Zirpro), ÖNORM B 3825-B1-3800-Q1, UK (Flován)
Light fastness:	5-7 (EN ISO 105 - B02)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Remix 2 (Kvadrat) - PG 3

Remix 2 is a strong fine woven fabric in worsted wool and polyamide made from melange yarns. The mix of several coloured threads gives an irregular surface with subtle contrasts in structure and colour.


Sammansättning:	90% worsted new wool, 10% polyamide
Slitstyrka:	100 000 Martindale
Flamsäkerhet:	AS/NZS 3837, Class 2, BS 5852, ig. s. 2-3, EN 1021-1/2, IMO A.652 (16), NF D 60 013, UNI 9175, 11M, Calif. Bull. 117-2013, ÖNORM B1/ Q1
Ljusäktethet:	5-7 (ISO 1-8)
Miljömärkt:	EU Ecolabel, 100% free of heavy metals



Nexus (Camira Fabrics) - PG 3

Nexus is a polyester knit in a sleek and stylish pinprick dot matrix design effect giving a granulated structured surface. The black yarn foundation highlights the structured surface in combination with fresh but subtle colours.

Composition:	100% polyester
Abrasion resistance:	100 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low Hazard
Light fastness:	5 (ISO 105 - B02: 2013)
Environmental facts:	Manufacturing process - fully compliant with ISO 14001



Note (Gabriel) - PG 3

Note is a soft and noble fabric which, with its classic satin structure, allows the wool's natural lustre to shine and impress.

Composition:	85% worsted wool, 15% polyamide
Abrasion resistance:	200 000 Martindale
Flammability:	EN 1021 1&2, BS 5852 0&1, BS 5852 crib 5, IMO 307 (88) Annex 1 part 8, Calif. Bull. 117E
Light fastness:	5-8
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Steelcut Trio 2 (Kvadrat) - PG 4

Steelcut Trio 2 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective.


Composition:	90% worsted new wool, 10% polyamide
Abrasion resistance:	100 000 Martindale
Flammability:	AS/NZS 3837, Class 2, BS 5852, ig. s. 2-3, DIN 4102 B2, ÖNORM B1/Q1, EN1021-1/2, IMO A.652 (16), NF D 60 013, NFPA 260, UNI 9175 1IM, Calif. Bull. 117-2013
Light fastness:	5-7 (ISO 1-8)
Environmental facts:	EU Ecolabel



Comfort+ (Gabriel) - PG 4

Comfort+ has a uniform stretchability and excellent non-pilling properties. A unique combination of fibres giving a durable soft surface.

Composition:	51% polyester, 37% recycled polyester, 12% polyurethane
Abrasion resistance:	150 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match), Calif. Bull. 117-2013, NFP 92-503:M3, ÖNORM B 3825-B2-3800-Q1 UK (Flován), UNI 9175, 1IM, BS 5852 P1, 0 Cigarette
Light fastness:	5-7 (EN ISO 105-B02)
Environmental facts:	Oeko-Tex® Standard 100, 100% free of heavy metals



Antigo Soft (Wollsdorf) - PG 6

Extra softened, high-quality semi-aniline leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability	BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)
Light fastness:	6 (EN ISO 105-B02)
Rubbing:	Wet 80/4 - Dry 1000/4 - Sweat 50/4 - ISO11640
Finish-adhesion:	≥ 2.5 N/CM - ISO 11644
Tear-strength:	≥ 20 N DIN EN ISO 3377-1
Environmental facts:	Tanned without using chromium salts. BlueAngel, ECO ₂ L-certificate

